## Solvated Electron Technology (SET <sup>™</sup>)

| Name of Process:<br>Solvated Electron Technology (SET <sup>™</sup> )   | Status:<br>The SET <sup>™</sup> process operates works at commercial scale [10] and has<br>been working many years at Pilot/Demonstration scale in USA and has<br>treated a wide range of POPs and other chemicals in soil.   |
|--|---|
| Commodore Applied Technologies, Inc.<br>Web site: <u>http://www.commodore.com/</u>   | In August 1995, Commodore's SET™ technology was demonstrated to the U.S. Environmental Protection Agency (EPA) and in March 1996, the   |
| Applicable Pesticides and related POPs<br>wastes:<br>Wide range of POPs and other chemicals in<br>soil, including PCBs (transformers, capacitors,<br>liquids), DDT, HCB, malathion, mixed<br>organochlorine pesticides, dioxin/furan and<br>explosives contaminated soils. | EPA issued a nationwide permit allowing Commodore to use SET <sup>™</sup><br>on-site to treat PCB-contaminated soil at any location in the United<br>States. In addition to soil treatment, the nationwide permit allows<br>Commodore to treat PCB-contaminated metallic surfaces. The permit<br>was amended in May 1998 to include the treatment of oils [1].<br>Recognized by EPA as a non-thermal process equivalent to incineration,<br>SET <sup>™</sup> is believed to be the only multi-matrix PCB chemical destruction<br>process approved for nationwide operation [1]. |
| Technology description:  |   |

The Solvated Electron Technology (SET<sup>™</sup>) is a patented non-thermal process for the treatment of a wide range of organics. The SET <sup>TM</sup> process uses solvated electron solutions to reduce organic compounds to metal salts and the parent (de-halogenated) molecule. Solvated electron solutions, which are strong reducing agents, are formed by dissolving alkali or alkaline earth metals such as sodium or calcium in anhydrous liquid ammonia. Example byproducts from treating PCBcontaminated waste include petroleum hydrocarbons, sodium chloride, and sodium amide [2].

**Basic Chemistry** 

The process uses alkali or alkaline earth metals such as sodium, calcium, lithium, etc dissolved in any of a variety of solvents including ammonia, amines, and some ethers to produce a solution of free electrons and metal cations.

For example, in NH3, Na ----> Na+ + e-

Dehalogenation reaction pathways vary depending on the halogenated compound present, but can be illustrated by the following generic reaction:

RX + 2M + H2O -----> RH + MX + MOH


The deleterious effects of water, iron and its compounds, oxygen, and carbon dioxide on solvated electron solutions are well known. However, a major breakthrough by Commodore has provided a mechanism for treating toxins and contaminated matrices, even when substantial guantities of water and/or other competing reactants are present in the matrix to be treated.

Halogenated organic compounds are "destroyed" by Commodore's SET process when halogens are selectively stripped from the parent hydrocarbon by the free electrons (dehalogenation) and captured by the metal cations to form salts (such as calcium chloride) and hydrogen-substituted organic compounds (such as saturated hydrocarbons in the case of PCBs). The process occurs at room temperature and is essentially instantaneous. [4]

Process Desciption

The SoLV<sup>™</sup> process is modular in nature. Commodore has developed several process variations depending on the nature of the material being remediated. The various modules are designed to be tailored to each particular remediation site in a manner such that the most cost-effective sequence is utilized. The SET<sup>™</sup> treatment module is the centerpiece of the process and is a critical component of each process. All equipment is mobile and able to be placed at the site, which eliminates the expense of transporting hazardous materials. Space does not allow the description of all the possible combinations of these modules. However, they generally include front end modules that can remove water or extract the contaminants of interest. Next, the SET<sup>™</sup> treatment module is required to destroy the contaminants. Back end modules are available to recycle ammonia, pH adjust, concentrate or fix the reaction products depending on the specific needs of the client [3].





### Treatment efficiency:

The SoLV<sup>™</sup> process can be modified to deliver the targeted remediation level. Soils containing many different organic contaminates have been treated. These include PCBs, PAHs, chlorinated solvents, dioxins, furans, pesticides, hexachlorobenzene, BTXs, volatiles, and semi-volatiles. After treatment with the SoLV<sup>™</sup> process, treated soils pass all TCLP criteria for replacement or non-hazardous waste landfill disposal. The following Table contains data from several projects. Small quantities of soil are treated in the S/4 treatment unit while larger quantities are treated in the S-10 [3].

#### **Destruction of PCBs in Various Soils**

| Source of Soil | Soil Type        | Pre-Treatment (ppm) | Post-Treatment (ppm) |
|----------------|------------------|---------------------|----------------------|
| Harrisburg, PA | Sand, clay       | 777                 | <1.0                 |
| Los Alamos, NM | Sand, silt, clay | 77                  | <2.0                 |
| New York       | Sand, silt       | 1250                | <2.0                 |
| Monroe, LA     | Sand, silt, clay | 8.8                 | <1.0                 |

#### **Oils** [3]

Oils such as contaminated transformer and cutting fluids can be readily detoxified using SET<sup>™</sup> in Commodore's L-1200 system. This is a liquid unit, which requires the ability to pump the material to be treated. Oils containing over 20,000 ppm of PCB have been detoxified to below 0.5 ppm PCB. The next Table lists data for destruction of PCBs in oils.

#### **Destruction of PCBs in Oils**

| Material  | Pre-Treatment (ppm) | Post-treatment (ppm) |  |  |
|---|---------------------|----------------------|--|--|
| Used Motor oil  | 23,339              | <1.0                 |  |  |
| Transformer oil   | 509,000             | 20*                  |  |  |
| Mineral Oil   | 5000                | < 0.5                |  |  |
| Hexane  | 100,000             | 0.5                  |  |  |
| *Sodium feed was deficient. Can be improved by using additional sodium. |                     |                      |  |  |

### Solvated Electron Technology (SET <sup>™</sup>)

Commodore further performed treatability study of PCB-contaminated soils from a transformer spill at a Pennsylvania Air National Guard site demonstrating destruction efficiencies of over 99%. Commodore Advanced Sciences is contracted to treat over 170 tons of PCB contaminated soil in 2000 [1].

Treated over 300 tons of PCB-contaminated soils excavated from an oil-spill site at the Pennsylvania Air National Guard base, located at the Harrisburg International Airport, utilizing the full-scale S-10 system to reduce PCB levels to <1ppm. During the treatment process, Commodore successfully performed an EPA demonstration of the commercial system [1].

#### PCBs/ Dioxins [3]

Commodore has completed numerous treatability studies in house and on site. Only a couple will be discussed herein.

The following Table gives data from a clean up of soil from a site in New York State. The soil contained approximately 1200 ppm of PCB (Aroclor 1254) prior to treatment with SET. After treatment the PCB level was reduced to 1.4 ppm. Small quantities of PAHs (pyrene, phenanthrene) were also remediated.

| SET <sup>™</sup> Treatment of Oil Spill New York State Utility Site |
|---|
|---|

| Contaminant  | Pre-Treatment (ppm) | Post-Treatment (ppm) |
|--------------|---------------------|----------------------|
| Aroclor 1254 | 1200                | 1.4                  |
| Mercury      | 0.21                | 0.08                 |
| Lead         | 433                 | 267                  |
| Pyrene       | 1.8                 | ND                   |
| Phenanthrene | 1.4                 | ND                   |

A New Bedford Harbor Massachusetts Sawyer Street site has been designated a superfund site due to PCB contamination. Commodore was one of three companies chosen to conduct demonstration studies on site under contract to Foster Wheeler Environmental Company. The river sediment was first washed with diisopropylamine by the Ionics RCC B.E.S.T <sup>™</sup> process producing an oil concentrate. The PCB level in the B.E.S.T concentrate was approximately 32,800 ppm. Dioxins /furans (TEFs) were also present at 47,000 ppt. This concentrate was reacted with SET<sup>™</sup> in the SoLV<sup>™</sup> process to destroy the PCB and dioxins. The results are given in the next Table. After treatment the material was found to have PCBs at a level of 1.3 ppm, well below regulatory requirements for disposal in non-hazardous waste landfills. Dioxins were also readily remediated.

#### SET<sup>™</sup> Treatment of Sludge New Bedford Harbor

| Contaminant  | Pre-Treatment (ppm) | Post-Treatment (ppm) |
|--------------|---------------------|----------------------|
| PCB          | 32,800              | 1.3                  |
| Dioxin/Furan | 47                  | .012                 |
| Mercury      | 0.93                | .02                  |
| Lead         | 73                  | 0.2                  |
| Selenium     | 2.5                 | 0.2                  |
| Arsenic      | 2.8                 | 0.1                  |

The SET<sup>™</sup> process can also be used to remediate dioxins when PCBs are not present. Waste oil from the McCormick and Baxter site in California was readily treated to ppt levels as illustrated in this Table.

#### SET<sup>™</sup> Treatment of Dioxins in Waste Oil, McCormick and Baxter site, Stockton, CA

| Contaminant | Pre-<br>Treatment (ppt) | Post-<br>Treatment (ppt) |
|-------------|-------------------------|--------------------------|
| Dioxins     | 418,500                 | 2.3                      |
| Furans      | 14,120                  | 1.3                      |

#### Hexachlorobenzene [3]

SET<sup>™</sup> is very effective in destruction of hexachlorobenzene in soils. Sandy soil containing 67.6 ppm of hexachlorobenzene was treated in the CMDU on site at Las Vegas, Nevada with a SET solution containing approximately 4 % by weight of sodium. The treated sandy soil was found to contain <2 ppm of hexachlorobenzene. GC/MS analysis of the treated soil established that no chlorinated species were detected in the soil.

The SET<sup>™</sup> process can also be used to remediate dioxins when PCBs are not present. Here 100 pounds of soil was treated [10]. Waste oil from the McCormick and Baxter site in California was readily treated to ppt levels as illustrated in this Table.

### SET<sup>™</sup> Treatment of Dioxins in Waste Oil, McCormick and Baxter site, Stockton, CA

| Contaminant | Pre-<br>Treatment (ppt) | Post-<br>Treatment (ppt) |
|-------------|-------------------------|--------------------------|
| Dioxins     | 418,500                 | 2.3                      |
| Furans      | 14,120                  | 1.3                      |

#### Hexachlorobenzene [3]

SET<sup>™</sup> is very effective in destruction of hexachlorobenzene in soils. Sandy soil containing 67.6 ppm of hexachlorobenzene was treated in the CMDU on site at Las Vegas, Nevada with a SET solution containing approximately 4 % by weight of sodium. The treated sandy soil was found to contain <2 ppm of hexachlorobenzene. GC/MS analysis of the treated soil established that no chlorinated species were detected in the soil.

### Bulk Pesticides [3]

Destruction of bulk pesticides has been carried out in Commodore's Marengo Ohio facility using malathion. This work was conducted in Commodore's L1200 liquid unit in 100 pound quantities. Near stoichiometric quantities of sodium were required to destroy the malathion. The levels of malathion in the treated material were at non-detect. Most bulk organic pesticides and herbicides containing halogens, phosphorous, or sulfur are amenable to reductive destruction using the SET process. Many waste streams produced when manufacturing pesticides can be remediated using SET<sup>™</sup>.

### Pesticides in Soils [3]

In addition to PCBs, other organics in soils, such as pesticides can be remediated. The next Table gives data from a project where soils from Hawaii and Virginia were contaminated with DDT, DDD, DDE, and dieldrin. In all cases, the soils were remediated to non-detect levels of the respective pesticide. These runs were conducted on site at Port Hueneme, California Naval Station using Commodore's mobile demonstration unit (CMDU). Soils were shipped in from other naval facilities.

#### Destruction of Pesticides in Soil with SET<sup>™</sup>

|                   | DDD  | DDT  | DDE  | Dieldrin |
|-------------------|------|------|------|----------|
| Barbers Point, HI |      |      |      |          |
| Pre-treatment     | 200  | 180  | 69   | ND       |
| Post-treatment    | <.02 | <.02 | <.02 | ND       |
| Dahlgren, VA      |      |      |      |          |
| Pre-treatment     | 9    | 1.6  | ND   | 15       |
| Post-treatment    | <.02 | <.02 | ND   | <.02     |

### Explosives [3]

Soil collected form Los Alamos, New Mexico, contaminated with RDX, HMX, and 1,2 DNB, has been remediated using SET. After treatment, no detectable level of explosive was noted. This Table contains data from this soil.

Destruction of Explosives in Soil, from Los Alamos, New Mexico

|                            | НМХ     | RDX      | 1,2 DNB |
|----------------------------|---------|----------|---------|
| Not Treated<br>(mg/kg)     | 1600    | 3580     | 9.6     |
| Treated<br>(mg/kg)         | .03     | .03      | .03     |
| Detection Limit            | .03     | .03      | .03     |
| Destruction Efficiency (%) | 99.9999 | 99.99999 | 99.99   |

#### Chemical Warfare Agents [3]

Over 300 tests have been conducted by Commodore on all stockpiled agents (GA, GB, GD, GF, Lewisite, VX, HD, HT, T, HN-1, HN-3, HL, picric acid, CG, and CK). Destruction efficiencies of greater than 99.9999 % have consistently been attained. As part of the army ACWA program, reaction products have been extensively characterized. They have also been tested for acute toxicity and found to be CLASS 1 or Class 0 level.

Within the framework of A CWA programme, Teledyne-Commodore's Solvated Electron Technology (SET <sup>™</sup>) was to test all seven primary components of their total solution. The demonstrations were to be conducted at DPG in Dugways, Urtah and at Deseret Chemical Depot (DCD) at the chemical Agent Munitions Disposal Systems (SAMDS) in Tooele, Utah.

However agent testing could not be completed and some of the conclusions are as follows [6]:

The lack of any data for agent or energetics from the ACWA demonstration prohibits the validation of the SET technology. Extensive laboratory and bench scale testing of the SET with agents HD, HT, GB and VX indicates that destruction efficiencies greater than 99.9999% can be achieved routinely [7]. Laboratory testing of SET with energetics (TNT, RSX, tetryl, M28 propellant, and Comp B) [8] as well limited chemical analyses from the SET-Energetics workup runs indicate that destruction efficiencies greater than 99.999% can be achieved routinely for all energetics except NG; the highest DRE for NG was 99.996%.

In summary, no information regarding the effectiveness of SET was collected during the ACWA Demonstration Test Program. Although prior small-scale laboratory testing by the technology provider indicates the likely effectiveness with agent and energetics, agents and energetics destruction have not been independently verified and validated in demonstration testing.

Radioactive Waste [1]

Currently treating 20,500 lbs. of mixed radioactive and hazardous solvent wastes for a contract with American Ecology Recycle Center, Inc. (AERC), at facilities in Oak Ridge, Tennessee. The SL-2 SET system is treating hazardous residues generated during the cleanup of radioactively contaminated tools, equipment, and other metallic materials.

Using the company's proprietary SET™ process, Commodore has treated 60,000 pounds of radioactive mixed waste.

#### Throughput:

SET<sup>™</sup> is *scalable* and can accommodate the size of the project. Commodore's units can be efficiently and effectively scaled to treat any amount of waste, no matter how large or small [1].

Commodore's commercial L1200 liquid unit applicable to materials like PCBs in oil, liquid pesticides or extracted contaminates. Commodore's L1200 liquid unit in 100 pound quantities [3].

Larger quantities are treated in the S-10 with 10 ton per day [3].

Commodore also has a solids handling unit capable of treating drum quantities of solids or liquids. This treatment unit is Commodore's S/4 treatment vessel. Small quantities of soil are treated in the S/4 [3].

#### Wastes/Residuals:

The primary effluents of the SET<sup>™</sup> process are non-hazardous inorganic sodium salts and hydrocarbons. Verified by the US Environmental Protection Agency, the halogenated organic (containing fluorine, iodine or chlorine) materials found in hazardous wastes do not survive the treatment process. Depending on the original waste agent, the residual waste products from the process can be disposed in a regulated landfill, returned to the environment, or event reused in another process [1]. After treatment with the SoLV<sup>™</sup> process, treated soils pass all TCLP criteria for replacement or non-hazardous waste landfill disposal [3].

#### Reliability:

SET systems are constructed from commercial mixers, refrigeration systems, boilers, and other readily available equipment. This equipment is subject to routine maintenance as may be expected, and the SET systems are designed to operate at 80% capacity continually.

#### Limitations:

Any compound capable of chemical reduction, in such a form as can be wetted by ammonia, is a candidate for SET treatment. Water content above 40% by weight will require some form of drying. Size restrictions are currently 18" diameter for solid materials.

#### Detailed information:

#### Full Scale Treatment examples:

See Annex

#### Transportability:

All equipment is mobile and able to be placed at the site [3].

#### Conclusion:

The SET<sup>™</sup> process is a well-developed technology working now at commercial scale and has a proven record of practical demonstration and pilot scale experiences for pesticides and related POPs compounds. Commodore's S-10 is able to treat 10 ton per day. The company is claiming to work since 3 years at a commercial scale especially in the field of nuclear waste and PCB's and quotes that the market prices for the treatment of pesticides are just too low.

#### Vendor Contact details:

Mack Jones 2121 Jamieson Avenue, Suite 1406 Alexandria, Virginia 22314 Commodore Solution Technologies, Inc. United States Ph: +1 505.872.6803 Fax: +1 703.566.7526 Email: mjones@commodore.com

\*Note: This NATO/CCMS fellowship report does not certify any particular technology, but tries to summarise the state of the art of the concerned technology on the basis of data delivered by the company or other source, which have been made available to the author and refers the reader to original documents for further evaluation. Without the efforts of the Technology supplier it would not have been possible to set up this fact sheet.

\*\*\*\* Note: The text for this report is verified by the Technology supplier on 12. December 2002

#### References:

- 1. <u>http://www.commodore.com/</u> (version between March and December 2002)
- 2. Commodore, October 1998
- Solvated Electron Chemistry, A Versatile Alternative for Waste Detoxification, Dr. Gerry Getman Vice President-Research and Development, Commodore Solution Technologies, Inc., 4500 Township Road TWP 161, Marengo, OH 43334, August 15, 1999
- 4. US EPA SITE PROGRAM, Vendor information
- 5. http://www.pmacwa.org/code/technology/teledyne.asp
- 6. Assembled Chemical Weapons Assessment Program, Supplemental Report to Congress, June 2001
- 7. Teledyne-Commodore, Draft Demonstration test Technical Report, 17 November 2000, pp. 4-42, 4-55, 4-64.
- 8. Ibid, pp. 4-45-4-45-4-48, 4-55-4-59, 4-64-4-65.
- 9. Ibid, pp. 3-80-3-88.
- 10. Written comments on Fact Sheet Mack Jones, Commodore, 12. December 2002

| 4,968,393 | 11/06/90  | Membrane Divided Aqueous-<br>Nonaqueous System for<br>Electrochemical Cells   | Dehalogenation by<br>electrochemistry using<br>divided<br>aqueous/nonaqueous cells                     |  |
|-----------|-----------|---|--|--|
|           |           |   |  |  |
| 5,110,364 | 05/05/92  | Processes for Decontaminating<br>Polluted Substrates  | Treatment of soils, surfaces<br>oils, by solvated electron<br>solutions                                |  |
|           | 132/05    |   | in the bated   |  |
| 5,414,200 | 5/09/95   | Non-Metallized and<br>Substoichiometric Metallized<br>Reactions with Ammonia and<br>Other Weak Bases in the<br>Dehologenation of Refrigerants | CFC destruction by solvated electron and ammonia   |  |
|           |           |   |  |  |
| 5,495,062 | 02/27/96  | Methods of Decontaminating<br>Nuclear waste-Containing Soil   | Removal of radionuclides in soil   | Israel, New Zealand  |
|           |           |   |  |  |
| 5,497,627 | 03/12/96  | Methods for Purifying Refrigerant<br>Compositions   | Aqueous extraction of select<br>refrigerants from mixes<br>allowing recovery of the<br>useful material |  |
| 111.0(0   | 15/4 4/04 |   | the second second  | " Israel   |
| 5,516,968 | 05/14/96  | Methods of Decontaminating<br>Mercury-Containing Soils  | Removal of mercury from soils  | Australia, Israel,<br>Japan, Pakistan,<br>South Africa           |
|           | 00/04/06  | Let us L Grathe Destruction of  | land the traction by colvated  | 1 -trollo Now  |
| 5,559,278 | 09/24/96  | Methods for the Destruction of<br>Ozone Depleting Substances  | CFC destruction by solvated electron and ammonia   | Australia, New<br>Zealand, Pakistan<br>South Africa              |
| 5,602,295 | 03/11/97  | Methods for the Elimination of<br>Cyanides in the Dehalogenation of<br>Halofluorocarbons  | CFC destruction  | Australia  |
|           |           |   |  |  |
| 5,998,691 | 12/07/99  | Method and Apparatus to Destroy<br>Chem Warfare Agents  |  | Iran, Turkey, Soutl<br>Africa, Pakistan,<br>Eurasian, North Kord |
|           |           |   |  |  |
| 5,613,238 | 03/18/97  | Method of Decontaminating Soils<br>Containing Hazardous Metals  | Removal of heavy metals<br>from soil   | Israel, Japan, New<br>Zealand, Pakistan<br>South Africa          |
|           |           |   |  |  |
| 5,616,821 | 04/01/97  | Method for Purifying and<br>Recovering Contaminated<br>Refrigerants with Solutions of<br>Bases in Organic Solvents                            | Selective refrigerant<br>destructive refrigerant   | Australia, Israel,<br>Pakistan, South Afri                       |
|           |           |   |  |  |
| 5,678,231 | 10/14/97  | Method of Decontaminating<br>Substrates with In-Situ Generated<br>Cyanides  | Removal of heavy and<br>radioactive metals   |  |

# Solvated Electron Technology (SET <sup>™</sup>)

| 5,698,750 | 12/16/97  | Method for Purifying<br>Contaminated Refrigerants with<br>Aqueous Solutions of Bases | Selective refrigerant destruction                     |                                |
|-----------|-----------|--|---|--------------------------------|
|           |           |  |   |                                |
| 5,582,744 | 12/10/96  | Pressurized Filtration   | Apparatus for pressure filtration of a slurry mixture |                                |
|           |           |  |   |                                |
| 6,049,021 | 4/11/2000 | Method for Remediation of sites<br>Contaminated with Toxic Wastes                    |   |                                |
|           |           |  |   |                                |
| 6,121,506 | 9/19/2000 | Method for Destroying Energetic<br>Materials   | , , , , , , , , , , , , , , , , , , ,                 | Pakistan, South<br>Korea, Iran |



| Technology<br>Provider | Techno-<br>logy                             | Scale+                                    | Pest<br>Comp.<br>treated         | Related comp<br>treated  | Validation<br>project<br>experience**                           | Applicability<br>Ranking++   | Additional Remarks   |  |  |  |
|------------------------|---|---|----------------------------------|--|---|--|--|--|--|--|
| Commodore              | SET   | P,<br>SITE<br>Demon-<br>stration<br>tests | DDT, DDE,<br>Dieldrin in<br>soil | PCB, chlordane,<br>Dioxin<br>Furans in waste<br>oil, sediments<br>and soil |   | DA   | At Port Hueneme a Mobile Disposal Unit 2 (CDMU2)<br>conducted treatability test for soils coming from various<br>sources and also at Commodore's facility in Marengo, Ohio |  |  |  |
| Commodore              | SET   | В   |                                  | Explosives in soil   |   |  |  |  |  |  |
| Commodore              | SET F PCB                                   |   | PCB                              |  | DA  | Pennsylvania Air National Guard site transformer spill and oil spill at commercial scale with S-10 |  |  |  |  |
|                        |   |   |                                  |  |   |  |  |  |  |  |
|                        | +Key: F - Full-scale applications completed |   |                                  |  |   | ++Key: Applicability ranking for pesticides  |  |  |  |  |
| P - Pilot/Demonstr     |   |   |                                  |  | DA – Direct applicable  |  |  |  |  |  |
| B - Bench/Laborat      | ory scale con                               | npleted; no P or                          | F-applications                   |  | FS 1 – Full scale within reasonable period possible 0-2 years   |  |  |  |  |  |
| T - Theoretical ap     | plicable, no B                              | ,P, F applicatio                          | ns                               |  | FS 2 – Full scale within considerable period possible 2-5 years |  |  |  |  |  |
| * Vendor claims p      | erformance o                                | f demonstratio                            | n, but no data p                 | provided   | **Validation on the basis of info provided in Table 2 and 3     |  |  |  |  |  |
| NR – Not reported      | , ND – Not de                               | etected                                   |                                  |  |   |  |  |  |  |  |

### Table 1: Technology overview Alternative Waste technologies – Summary-Technical Details

| Location/project  | Contaminants                                | Amount<br>treated<br>in tons   | Results incl DRE, Pre-<br>treat, Post treat,<br>Emissions, energy<br>consumption, costs* | Client References<br>Name, address, contactperson phone, Email , fax  |
|---|---|--------------------------------|--|---|
| Port Hueneme, (PH)- 1<br>Source: Barbers Point HI   | Pilot testing DDT,<br>DDE in soil           | Liter sized<br>aliquots        |  | Client references are available upon request by persons with<br>valid interests [10] At Port Hueneme a Mobile Disposal Unit 2<br>(CDMU2) conducted treatability test for soils coming from<br>various sources. Port Hueneme treated liter sized aliquots of<br>seven differing materials [10] |
| (PH)-2<br>Source : Dahlgren, VA   | Pilot testing DDT,<br>DDE, Dieldrin in soil | Liter sized<br>aliquots        |  | As above  |
| (PH)-3<br>Source: Port Hueneme  | PCB in soil                                 | Liter sized<br>aliquots        |  | As above  |
| (PH)-4<br>Source: Guam  | PCB in soil                                 | Liter sized aliquots           |  | As above  |
| McCormick & Baxter site, Stockton, CA   | Dioxin & Furans in soil                     | 100 pounds soil                |  |   |
| Soil from Los Alamos  | HMX,<br>RDX,<br>DNB in soil                 |                                | DRE -HMX = 99.999<br>DRE-RDX = 99.9999<br>DRE-DNB = 99.99                                |   |
| New York State Utility PCB Spill  | PCB in soil                                 |                                |  |   |
| New Bedford Harbor Superfund Site   | PCB in sediments                            |                                |  | Superfund   |
| Pennsylvania Air National Guard site<br>transformer spill   | PCB-contaminated<br>soils                   | 170 tons of PCB contamin. soil | destruction efficiencies of over 99%.  |   |
| oil-spill site at the Pennsylvania Air<br>National Guard base, located at the<br>Harrisburg International Airport | PCB-contaminated soils                      | 300 tons                       | Treatment PCB levels to <1ppm.   | Full-scale S-10 system. Commodore successfully performed<br>an EPA demonstration of the commercial system   |
| Marengo, Ohio   | PCB-soil                                    |                                |  | At Commodore's facility in Marengo, Ohio, Commodore's L1200 liquid unit in 100 pound quantities   |
| Marengo, Ohio   | DDD, DDE,<br>DDT, Dieldrin,<br>Chlordane    |                                |  | At Commodore's facility in Marengo, Ohio, Commodore's<br>L1200 liquid unit in 100 pound quantities  |
| Marengo, Ohio   | Malathion                                   |                                |  | At Commodore's facility in Marengo, Ohio, Commodore's L1200 liquid unit in 100 pound quantities   |
| Las Vegas, Nevada   | НСВ   |                                |  | CMDU??  |

### Table 2: Overview project experience per technology supplier Commodore

\*In case of more details per project Table 3 should be used

| Location<br>project          | Pre-treat<br>mg/kg | Post-treat<br>Mg/kg | DRE's | Emissions<br>1.Air (HCL, Diox/furans | Energy consumption. | Costs(Capital ,<br>operating costs) | Others,                  |
|------------------------------|--------------------|---------------------|-------|--------------------------------------|---------------------|-------------------------------------|--------------------------|
|                              |                    |                     |       | etc)                                 |                     |                                     | remarks                  |
|                              |                    |                     |       | 2. Water,<br>3. Waste (slags)        |                     |                                     |                          |
| Port Hueneme (PH)-1, Source: |                    |                     |       | None of the projects had             |                     | Capital and                         |                          |
| Barbers Point HI             |                    |                     |       | emissions. The systems are           |                     | operating costs are                 |                          |
| -DDD                         | 200                | <0.02               |       | characterized by EPA as              |                     | classified. For all                 |                          |
| -DDT                         | 180                | < 0.02              | NR    | "closed", and do not emit            |                     | further mentioned                   |                          |
| -DDE                         | 69                 | <0.02               |       | regulated substances [10]            |                     | projects [10]                       |                          |
| (PH)-2,                      |                    |                     |       | As mentioned before                  |                     |                                     |                          |
| Source: Dahlgren, VA         |                    |                     |       |                                      |                     |                                     |                          |
| -DDD                         | 9                  | <0.02               | NR    |                                      |                     |                                     |                          |
| -DDT                         | 1.6                | <0.02               |       |                                      |                     |                                     |                          |
| -Dieldrin                    | 15                 | <0.02               |       |                                      |                     |                                     |                          |
| (PH)-3,                      |                    |                     |       | As mentioned before                  |                     |                                     |                          |
| Source: Port Hueneme         |                    |                     |       |                                      |                     |                                     |                          |
| -PCB                         | 777-931            | <4.55               |       |                                      |                     |                                     |                          |
|                              |                    | <20*                |       |                                      |                     |                                     |                          |
| (PH)-4,                      |                    |                     |       | As mentioned before                  |                     |                                     |                          |
| Source: Guam                 |                    |                     |       |                                      |                     |                                     |                          |
| -PCB                         | 0.83               | 11.4-12.4**         |       |                                      |                     |                                     |                          |
| Marengo Ohio MO-1,           |                    |                     |       | As mentioned before                  |                     |                                     | Commodore's L1200 liquid |
| Source: Port Hueneme         |                    |                     |       |                                      |                     |                                     | unit in 100 pound        |
| -PCB's                       | 120-183            | 0.43-1.7            |       |                                      |                     |                                     | quantities               |
| MO-2,                        |                    |                     |       | As mentioned before                  |                     |                                     |                          |
| Source: Barbers Point        |                    |                     |       |                                      |                     |                                     |                          |
| -DDD                         | 263-512            | ND-0.135            |       |                                      |                     |                                     |                          |
| -DDE                         | 197-362            | 0.172-5.55          |       |                                      |                     |                                     |                          |
| -DDT                         | 920-1620           | ND-0.072            |       |                                      |                     |                                     |                          |
| -Dieldrin                    | -ND                | ND-0.0002           |       |                                      |                     |                                     |                          |
| -Chlordane                   | 123-156            | 0.15-0.68           |       |                                      |                     |                                     |                          |

Table 3 – Part 1: Overview detailed project information per project – Project name (from Table 2):

Table 3 – Part 2: Overview detailed project information per project – Project name (from Table 2):

| Locat<br>Project  | Pre-treat<br>mg/kg    | Post-treat<br>mg/kg  | DRE's | Emissions<br>1.Air (HCL, Diox/furans<br>etc)<br>2. Water,<br>3. Waste (slags) | Energy<br>consumption. | Costs(Capital ,<br>operating costs) | Others,<br>remarks   |
|---|-----------------------|----------------------|-------|---|------------------------|-------------------------------------|--|
| M03-, Source:<br>- malathion  |                       | ND                   |       |   |                        |                                     | Commodore's L1200 liquid<br>unit in 100 pound<br>quantities. |
| McCormick & Baxter site,Stockton/CA<br>-Dioxin<br>-Furans   | 418.5<br>14.1         | 0.0023<br>0.0013     | NR    |   |                        |                                     |  |
| Soil from Los Alamos<br>-HMX<br>-RDX<br>-DNB  | 1,600<br>3,580<br>9.6 | 0.03<br>0.03<br>0.03 |       |   |                        |                                     |  |
| New York State Utility PCB Spill<br>-PCB  | 1,200                 | 1.4                  |       |   |                        |                                     |  |
| New Bedford Harbor Superfund Site<br>-PCB<br>-Diox/Furan  | 32,800<br>47          | 1.3<br>0.012         |       |   |                        |                                     |  |
| Pennsylvania Air National Guard site  |                       |                      |       |   | S-10, is 300<br>Kw/hr. |                                     |  |
| oil-spill site at the Pennsylvania Air<br>National Guard base, located at the<br>Harrisburg International Airport |                       |                      |       |   | S-10, is 300<br>Kw/hr. |                                     |  |
| Las Vegas, Nevada<br>-HCB<br>-chlorinated components  | 67.6 ppm              | 2 ppm<br>ND          |       |   |                        |                                     |  |

\*Interference problems increased method detection limits \*\*Reaction vessel contained residual contamination from prior run; although field screen indicated soil contained more than 50 mg/kg PCB's laboratory tests showed soil to contain little PCB's

### **Table 4: Overview Applications**

| MATRICES                            | Soils | Sludges | Sediments | Porous Materials<br>(e.g. concrete, rocks,<br>absorbents, clothing) | Non-Porous Surfaces<br>(e.g. tools, equipment,<br>demolition debris) | Industrial Chemicals<br>Off Spec | Industrial Chemicals<br>Obsolete | Oils<br>Transformer | Oils<br>Hydraulic | Wastewater Treatment<br>Plant Residue |
|-------------------------------------|-------|---------|-----------|---|--|----------------------------------|----------------------------------|---------------------|-------------------|---------------------------------------|
| PCBs, PAHs                          | ~     | ~       | ~         | ~   | ~  |                                  |                                  | ~                   | ~                 | ~                                     |
| Dioxins                             | ~     | ~       | ~         | ~   | ~  | ~                                |                                  |                     |                   | ~                                     |
| Pesticides                          | <     | ~       | <         | ~   | ~  | ~                                | <                                |                     |                   | ~                                     |
| Chemical Warfare<br>Agents          | ~     |         |           | v   | ~  |                                  | <                                |                     |                   |                                       |
| Mixed<br>Waste/PCBs                 | ~     | ~       | ~         | v   | v  |                                  |                                  |                     |                   |                                       |
| Mixed<br>Waste/RCRA                 | ~     | ~       | ~         | v   | v  |                                  |                                  |                     |                   |                                       |
| CFCs and<br>Halogenated<br>Solvents | ~     | ~       | ~         | ~   | ~  | ~                                | v                                |                     |                   | ~                                     |

### SET APPLICATIONS QUICK REFERENCE

Effective 4/25/00